

Qingdao Zongjin Engineering Machinery Co.,Ltd.
ADD: NO.196 Zhengyang Rd , Chengyang , Qingdao , China
<http://www.chinawheelloaders.com>
Tel:0086-532-66739792



E-mail: sunny@chinawheelloaders.com
Fax:0086-532-66739791

WOLF WE08 0.8Ton mini Excavator



Performance and features

1. Specially designed for small works, small projects.
2. Be used in garden, farmland, municipal works, vegetable greenhouse, digging trench It is with small engine, simple design, easy to maintain.

Qingdao Zongjin Engineering Machinery Co.,Ltd.
ADD: NO.196 Zhengyang Rd , Chengyang , Qingdao , China
<http://www.chinawheelloaders.com>
Tel:0086-532-66739792



E-mail: sunny@chinawheelloaders.com
Fax:0086-532-66739791



Qingdao Zongjin Engineering Machinery Co.,Ltd.
 ADD: NO.196 Zhengyang Rd , Chengyang , Qingdao , China
<http://www.chinawheelloaders.com>
 Tel:0086-532-66739792



E-mail: sunny@chinawheelloaders.com
 Fax:0086-532-66739791

Technical Specification

Operating Weight	880kg
Digging bucket capacity	0.025cbm/120kg
Digging bucket width	350mm, can add narrow bucket is 200mm
Engine	KOOP KD192 Euro V
Rated power	8.6kw/3600r/min
Displacement	0.211 L
Bore stroke	70x55
Main pump	CBK-F6.8
Displacement	6.8ml/r
Swing motor	SJ-TECH (MP-1-160)
Traveling motor	KERSEN (OMS-2450)
Travel speed	1.5km/h
MAIN DEMENSIONS	
Overall dimension(LxWxH)	2770x896x1490 mm
Wheelbase	910 mm
Total length of track on land	1230mm
Platform ground clearance	380 mm
Platform back turning radius	784 mm
Chassis width	896 mm
Track width	130 mm
Chassis ground clearance	132 mm
Track height	320 mm
OPERATING RANGE	
Max. Digging depth	1650 mm
Max. Vertical digging depth	1375 mm
Max. Digging height	2610 mm
Max. Dumping height	1850 mm
Max. Digging radius on ground	2850 mm
Min. Rotation radius	1330 mm
Max. Upgrade height of bulldozer blade	345 mm
Max. Digging depth of bulldozer blade	255 mm